MHC Journal Of Mental Health Concern
ISSN 2964-5042 (Print)
ISSN 2964-5034 (Online)
DOI: 10.56922

Sinta 5 Terakreditasi NOMOR 10/C/C3/DT.05.002025

ARTICLE INFORMATION
Received: November, 10, 2026
Revised: November, 16, 2026
Available online: November, 17, 2026
at: https://e-jurnal.iphorr.com/index.php/mhc

Analysis of burnout among healthcare professionals and its implications for performance and the quality of hospital services

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

Abstract

Background: Burnout among healthcare professionals is an important organizational concern that may affect employee well-being, professional performance, patient safety, and healthcare service quality.
Purpose: To examine the factors associated with burnout among healthcare professionals, its implications for hospital services, and organizational strategies for its management.
Method: This study employed a literature review by synthesizing 10 selected publications published between 2022 and 2026. The literature was analysed descriptively to identify contributing factors, occupational consequences, and implications for hospital human resource management.
Results: The findings indicated that excessive workloads, administrative demands, staffing limitations, and demanding working conditions were important factors associated with burnout. Burnout was also associated with reduced professional performance, decreased work motivation, employee retention challenges, and potential deterioration in patient safety and healthcare service quality. Recommended organizational strategies included workload management, adequate staffing, efficient administrative systems, supportive leadership, fair work scheduling, and employee assistance programs.
Conclusion: Burnout is an organizational challenge that requires integrated management strategies. Strengthening human resource management and supporting healthcare professionals' well-being are important for maintaining workforce sustainability and quality patient care.

Keywords: Burnout; Healthcare Professionals; Human Resource Management; Hospital; Quality of Care.

INTRODUCTION

Human resources play a fundamental role in determining the quality and sustainability of hospital services. As complex organizations that rely on clinical expertise, technology, and intensive workforce involvement, hospitals require healthcare professionals, including physicians, nurses, and other healthcare personnel, to maintain professional competence, emotional stability, and resilience in responding to patients' needs. However, the demanding nature of hospital work can expose healthcare professionals to burnout, which is characterized by emotional exhaustion, depersonalization, and reduced personal accomplishment. Burnout is no longer considered solely an individual occupational health concern but also an organizational challenge that may affect workforce productivity, service performance, and hospital management. Previous studies have identified burnout as an important factor associated with declining healthcare workforce performance and organizational effectiveness (Novena et al., 2025; Pratama et al., 2026). From a strategic human resource management perspective, burnout is also associated with reduced job satisfaction, organizational commitment, and employee retention. Healthcare professionals frequently encounter high

DOI: https://doi.org/10.56922/mhc.v5i8.4565

workloads, irregular working hours, complex clinical responsibilities, and continuous interactions with patients and their families. These conditions may contribute to prolonged physical and emotional exhaustion, particularly when organizational support and workload management are inadequate. The accumulation of occupational stress may consequently influence employees' motivation and intention to remain within their institutions. Previous literature has highlighted the importance of organizational factors, workload distribution, and employee well-being in understanding burnout among hospital healthcare professionals (Mardhiyah et al., 2026; Mahendra et al., 2026; Zubaidah & Budiyanto, 2025).

Beyond its implications for workforce sustainability, burnout is associated with impaired professional performance and potential challenges in maintaining patient safety. Emotional exhaustion and reduced concentration may interfere with healthcare professionals' ability to perform clinical responsibilities effectively, including monitoring patient conditions, administering medication, documenting clinical procedures, and communicating during shift handovers. These challenges may increase the risk of errors and compromise the consistency of healthcare delivery. Evidence from previous research indicates that nurse burnout is associated with patient safety outcomes, patient satisfaction, and the overall quality of care (Li et al., 2024). Similarly, burnout has been identified as an important occupational factor associated with healthcare professionals' job performance (Latumenasse et al., 2026; Saputri et al., 2022). The implications of burnout also extend to the quality of interactions between healthcare professionals and patients. Emotional exhaustion and depersonalization may reduce healthcare workers' capacity to demonstrate empathy, responsiveness, and effective communication during patient care. Such conditions can negatively influence patients' experiences and perceptions of healthcare services. In hospital settings, the quality of care is not determined solely by clinical outcomes but also by the interpersonal aspects of service delivery, including respect, attention, and responsiveness to patients' needs. Previous studies have discussed the relationship between healthcare worker burnout and the quality of patient care, highlighting its relevance to patient satisfaction and healthcare service performance (Filaj & Sota, 2025; Imamah et al., 2024; Quan et al., 2024).

From an organizational perspective, persistent burnout may also create additional challenges for hospital management, particularly in relation to employee retention, workforce replacement, and operational continuity. Healthcare professionals experiencing prolonged occupational exhaustion may develop stronger intentions to leave their jobs, potentially increasing staff turnover and the costs associated with recruitment, selection, and training. These conditions may further intensify workload pressures among remaining employees and create difficulties in maintaining consistent healthcare services. Therefore, burnout requires attention not only through individual-level coping strategies but also through organizational policies addressing workload distribution, staffing adequacy, work-life balance, and institutional support (Ananda & Taufiqurahman, 2025; Zubaidah & Budiyanto, 2025). Considering these interconnected challenges, this literature review aims to examine the factors associated with burnout among healthcare professionals in hospital settings, its implications for employee performance, patient safety, and healthcare service quality, as well as potential organizational strategies for its prevention and management. Understanding these dimensions is important for developing comprehensive hospital management approaches that support healthcare professionals' well-being while maintaining the quality, safety, and sustainability of hospital services.

RESEARCH METHOD

This study employed a literature review design to examine burnout among healthcare professionals in hospital settings, focusing on its contributing factors, implications for professional performance, patient safety, healthcare service quality, and organizational management. Relevant scientific publications were reviewed to identify and synthesize existing evidence related to the research topic. The literature search was conducted using four electronic databases: Google Scholar, PubMed, ScienceDirect, and Scopus. Publications from 2022 to 2026 were considered. The search strategy involved combinations of keywords related to the research topic, including "burnout," "healthcare professionals,"

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

"nurses," "hospital," "job performance," "patient safety," "quality of care," and "workload." Indonesian equivalents of these keywords were also considered to identify relevant national publications. Boolean operators (AND and OR) were used to combine search terms and identify publications relevant to the study objectives.

Publications were selected based on their relevance to the research topic and their contribution to understanding burnout among healthcare professionals in hospital settings. The selection criteria included scientific publications addressing burnout, occupational fatigue, workload, professional performance, patient safety, healthcare service quality, or organizational factors associated with burnout. Publications focusing on healthcare professionals outside hospital settings or lacking relevant information on the study objectives were not considered. Based on their relevance to the research objectives and the availability of information for synthesis, ten publications were included in the literature review.

Information extracted from the selected publications included the authors, publication year, research objectives, study design, main findings, and relevant implications for hospital management. The findings from each publication were compared to identify recurring themes, similarities, and differences across the studies. Data were analyzed using descriptive narrative synthesis. The findings were organized into four thematic categories: (1) organizational and individual factors associated with burnout; (2) the relationship between burnout and healthcare professionals' performance; (3) the implications of burnout for patient safety and healthcare service quality; and (4) organizational approaches to burnout prevention and management. Recommendations for hospital management were developed based on the synthesis of the reviewed literature.

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

RESEARCH RESULTS

Table 1. Synthesis of Selected Literature on Burnout among Healthcare Professionals in Hospital Settings

Author & Year	Purpose	Method	Main Empirical Findings	Implications for Hospital Management
(Novena et al., 2025)	To identify factors contributing to burnout among healthcare workers in hospitals.	Quantitative cross-sectional study	Administrative workload and high patient to staff ratios are the primary drivers of burnout. Burnout undermines both individual well-being and the effectiveness of clinical teams.	Optimizing the Hospital Management Information System (SIMRS) to facilitate administrative documentation and reduce repetitive reporting tasks.
(Latumenasse et al., 2026)	To examine the relationship between burnout and nurse performance in hospitals.	Quantitative descriptive correlational study	There is a significant negative relationship between burnout levels and clinical performance. Emotional exhaustion triggers medical errors.	Implementing staff recognition programs, non-financial rewards, and fair shift rotation arrangements.
(Imamah et al., 2024)	To examine healthcare worker fatigue and its implications for healthcare service quality in Indonesia.	Quantitative cross-sectional study	Moderate to high levels of burnout have been shown to have a significant impact, drastically reducing dimensions of hospital service quality.	Providing periodic employee support, counseling services, and structured assistance programs.
(Pratama et al., 2026)	To analyze the relationship between burnout and nurse performance in hospital inpatient units.	Quantitative study using linear regression	The level of nurse burnout is strongly inversely related to performance stability and the quality of nursing care in inpatient wards.	Developing realistic performance indicators and providing appropriate incentives according to workload demands.

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

(Mardhiyah et al., 2026)	To describe burnout levels among healthcare workers in hospital inpatient units.	Literature review	The majority of inpatient healthcare workers experience moderate to high levels of burnout, with emotional exhaustion as the primary component.	Conducting periodic burnout assessments and adjusting staff allocation according to workload requirements.
(Saputri et al., 2022)	To analyze the relationship between work motivation, burnout, and nurse performance.	Quantitative associative study	Burnout and work motivation have a simultaneous effect on nurse productivity. High levels of burnout reduce motivation to provide care.	Developing a supportive work environment and initiatives that encourage employee motivation and occupational well-being.
(Novitaloka et al., 2026)	To analyze physician burnout in emergency departments in relation to healthcare service quality and patient satisfaction.	Qualitative descriptive study	Burnout indirectly affects patient satisfaction by diminishing the quality of medical communication interactions in the emergency department.	Providing communication training and evaluating work schedules in emergency departments.
(Lisa et al., 2026)	To examine the implications of excessive workload for healthcare worker performance and service quality.	Systematic literature review	Excessive workload is strongly correlated with job-related fatigue and triggers medical errors.	Implementing data-based Workload Analysis (WLA), evaluating staffing requirements, and managing overtime arrangements.
(Andhani, 2023)	To examine the influence of nurse burnout syndrome on hospital healthcare service quality.	Literature review	Burnout syndrome reduces nurses' motivation, which correlates with a decline in the hospital's overall quality of care index.	Integrating patient safety policies with occupational health and safety programs addressing healthcare workers' psychological well-being.

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

(Mahendra et al., 2026)	To examine the relationship between workload and nurse burnout at Ibnu Sina Islamic Hospital, Bukittinggi.	Quantitative descriptive study	Emotional demands and time constraints during active work hours have been shown to accelerate the development of the depersonalization dimension among nurses.	Reviewing daily nursing workload distribution and providing appropriate rest facilities.

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

DISCUSSION

The synthesis of the literature indicates that burnout among healthcare professionals in hospital settings is influenced by multiple interconnected factors, particularly organizational workload, working conditions, and the availability of institutional support. Excessive workloads, disproportionate staffing arrangements, administrative responsibilities, and demanding clinical activities may contribute to prolonged physical and emotional exhaustion. In addition to direct patient care, healthcare professionals are required to complete medical documentation, administrative procedures, and other institutional responsibilities. When these demands exceed available workforce capacity and working time, opportunities for adequate rest and recovery may become limited. These conditions can contribute to occupational exhaustion and reduced work performance among healthcare professionals (Novena et al., 2025; Mahendra et al., 2026; Lisa et al., 2026).

The risk of burnout may also differ according to the characteristics of hospital work units and the intensity of clinical responsibilities. Healthcare professionals working in emergency departments and other critical care environments frequently encounter patients with complex conditions, urgent clinical situations, and unpredictable changes in patient status. These circumstances require sustained attention, rapid clinical decision-making, and continuous emotional involvement. Such demands may increase occupational pressure, particularly when staffing levels and organizational resources are insufficient to support the workload. Previous literature reviews have identified burnout among healthcare professionals working in hospital environments as an important occupational health concern that requires attention to working conditions and organizational characteristics (Mardhiyah et al., 2026; Batanda, 2024).

Working schedules and the physical work environment are additional organizational considerations in understanding burnout. Night shifts, extended working hours, inadequate rest periods, and limited opportunities for work-life balance may contribute to fatigue and difficulties in maintaining recovery between shifts. Furthermore, insufficient supervisory support and limited organizational attention to employee well-being may intensify the burden experienced by healthcare professionals. These factors indicate that burnout should not be interpreted exclusively as an individual's inability to manage occupational stress but also as a condition influenced by the interaction between employees and their work environment. Organizational support, appropriate workload distribution, and employee-centered management policies are therefore important considerations in preventing occupational exhaustion (Fairoby, 2025; Ananda & Taufiqurahman, 2025; Imamah et al., 2024).

The consequences of burnout extend beyond individual well-being and may influence the professional performance of healthcare workers. Emotional exhaustion, reduced motivation, and difficulties maintaining concentration can interfere with the consistency and accuracy of professional activities. In hospital settings, these challenges are particularly relevant because healthcare professionals are responsible for activities requiring continuous attention, including patient monitoring, medication administration, clinical documentation, and communication between healthcare teams. Reduced work performance may subsequently affect the continuity and reliability of healthcare services. Previous studies have identified associations between burnout and healthcare professionals' job performance, suggesting that occupational exhaustion is an important consideration in maintaining workforce productivity (Latumenasse et al., 2026; Saputri et al., 2022; Wang et al., 2022).

Burnout may also contribute to organizational problems through reduced work engagement, absenteeism, and presenteeism. Presenteeism occurs when employees remain physically present at work despite experiencing health-related or psychological difficulties that may limit their work capacity. In healthcare environments, this condition may affect concentration, motivation, and the ability to perform professional responsibilities consistently. Furthermore, when employees experience prolonged occupational exhaustion, their commitment to the organization may decline, potentially increasing their intention to leave their jobs. Employee turnover can create additional challenges for hospital management because the departure of experienced healthcare

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

professionals may affect workforce continuity and increase the resources required for recruitment and staff development. The relationship between burnout, organizational commitment, and job performance has also been discussed in previous studies involving healthcare professionals (Wang et al., 2022; Bhat & Tariq, 2022; Zubaidah & Budiyanto, 2025).

Another important implication of burnout concerns healthcare service quality and patient safety. Healthcare services depend not only on the technical competence of professionals but also on their ability to communicate effectively, demonstrate empathy, and respond appropriately to patients' needs. Emotional exhaustion and depersonalization may reduce the quality of interpersonal interactions, potentially resulting in less responsive communication and reduced attention to patients' concerns. These conditions may negatively influence patients' perceptions of care and overall satisfaction with hospital services. Previous studies have highlighted the relationship between burnout and patient care quality, emphasizing the importance of maintaining healthcare professionals' well-being to support positive patient experiences (Filaj & Sota, 2025; Imamah et al., 2024; Quan et al., 2024).

Patient safety represents another critical dimension of the relationship between burnout and healthcare quality. Healthcare professionals experiencing occupational exhaustion may have difficulties maintaining optimal concentration and vigilance during clinical activities. Such difficulties may increase vulnerability to communication problems, documentation inaccuracies, and delays in recognizing changes in patient conditions. A systematic review and meta-analysis demonstrated that nurse burnout is associated with patient safety, patient satisfaction, and quality of care, indicating that burnout is not merely an individual workforce issue but also an important concern for healthcare service delivery (Li et al., 2024). Therefore, preventing burnout should be considered part of broader hospital efforts to maintain patient safety and improve the reliability of clinical services.

From the perspective of hospital management, addressing burnout requires organizational interventions that consider both working conditions and employee support systems. One potential strategy is improving clinical and administrative workflows through appropriate hospital information systems to reduce repetitive administrative activities and support more efficient documentation processes. Digital systems should be implemented in accordance with actual clinical needs so that technology facilitates rather than increases the administrative burden of healthcare professionals. In addition, workload evaluation and staffing analysis are necessary to identify imbalances between workforce availability and patient care demands. Appropriate workload distribution may help reduce excessive occupational pressure and support more sustainable working conditions (Fairoby, 2025; Lisa et al., 2026; Mahendra et al., 2026).

Hospital management should also develop policies that promote work-life balance, adequate rest periods, and fair work scheduling. Limiting excessive overtime, establishing transparent shift arrangements, and evaluating staffing requirements across hospital units may help reduce prolonged occupational exhaustion. Furthermore, supportive leadership and effective communication between management and healthcare professionals are important for identifying workplace difficulties at an early stage. Employee assistance programs, access to confidential psychological counseling, stress management education, and employee wellness initiatives may complement these organizational measures. Such approaches should be integrated into hospital human resource policies rather than implemented only as temporary responses to individual burnout cases (Fairoby, 2025; Ananda & Taufiqurahman, 2025; Mardhiyah et al., 2026).

Overall, the literature suggests that burnout is a multidimensional organizational challenge with implications for healthcare professionals' performance, employee retention, patient safety, and service quality. Consequently, hospital management needs to adopt an integrated approach that combines workload management, adequate staffing, supportive leadership, improved working conditions, and accessible employee support programs. Investment in healthcare professionals' well-being is important not only for maintaining workforce sustainability but also for supporting consistent and safe patient care. However, the effectiveness of specific interventions should be evaluated through further empirical

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

research to determine which organizational strategies are most appropriate for different hospital settings.

CONCLUSION

Burnout among healthcare professionals is an organizational challenge associated with excessive workloads, demanding working conditions, and inadequate institutional support. It may affect professional performance, employee retention, patient safety, and healthcare service quality. Therefore, hospital management should prioritize workload management, adequate staffing, supportive leadership, fair work schedules, and employee assistance programs to promote healthcare workers' well-being and maintain quality patient care.

REFERENCES

Ananda, E. P., & Taufiqurahman, E. (2025). Pengaruh worklife balance (keseimbangan kehidupan kerja) dan stres kerja terhadap turnover intention (keinginan berhenti kerja) karyawan (Studi kasus di Rumah Sakit Hermina Karawang tahun 2024). *Jurnal Ilmiah Wahana Pendidikan, 11*(4.B), 49–58.

Andhani, A. S. (2023). *Pengaruh burnout syndrome perawat terhadap mutu pelayanan kesehatan rumah sakit*. Departemen Administrasi dan Kebijakan Kesehatan, Fakultas Kesehatan Masyarakat, Universitas Indonesia. https://www.researchgate.net/publication/371491519

Batanda, I. (2024). Prevalence of burnout among healthcare professionals: A survey at Fort Portal Regional Referral Hospital. *npj Mental Health Research, 3*(1), Article 16. https://doi.org/10.1038/s44184-024-00061-2

Bhat, M. A., & Tariq, S. (2022). Impact of job burnout on performance: A study among hospital employees of J&K, India. *BIMTECH Business Perspectives, 3*(1), 1–17.

Fairoby, M. S. N. (2025). Mengatasi burnout dan stres kerja: Analisis intervensi & strategi psikologi industri dan organisasi. *Jurnal Media Akademik (JMA), 3*(8). https://doi.org/10.62281/hf7jyz45

Filaj, E., & Sota, M. (2025). The impact of burnout on the quality of patient care: A comparative analysis between physicians and nurses in emotionally demanding hospital settings. *Knowledge–International Journal, 72*(1), 153–157.

Imamah, S. A., Rini, C. S., Puspitasari, P., & Mushlih, M. (2024). Kelelahan tenaga kesehatan: Penurunan kualitas layanan di Indonesia. *Manajemen Pelayanan Kesehatan, 1*(1), 9. https://doi.org/10.47134/mpk.v1i1.2923

Latumenasse, R. A., Yuniyanti, T. A., Pannyiwi, R., & Jufri, S. A. (2026). Hubungan burnout dengan kinerja perawat di rumah sakit: The relationship between burnout and nurse performance in hospitals. *Barongko: Jurnal Ilmu Kesehatan, 5*(1), 1817–1823. https://doi.org/10.59585/bajik.v5i1.1812

Li, L. Z., Yang, P., Singer, S. J., Pfeffer, J., Mathur, M. B., & Shanafelt, T. (2024). Nurse burnout and patient safety, satisfaction, and quality of care: A systematic review and meta-analysis. *JAMA Network Open, 7*(11), Article e2443059. https://doi.org/10.1001/jamanetworkopen.2024.43059

Lisa, N., Roe, S. R. H., Rifkawati, R., Adwan, A., & Kadri, A. (2026). Pengaruh beban kerja berlebihan terhadap kinerja dan mutu pelayanan tenaga kesehatan: Tinjauan literatur. *Jurnal Kesehatan Tambusai, 7*(2), 5184–5190. https://doi.org/10.31004/jkt.v7i2.57627

Mahendra, M. R., Zulfa, Z., & Harmen, E. L. (2026). Hubungan beban kerja dengan burnout perawat Rumah Sakit Islam Ibnu Sina Bukittinggi. *Inovasi Kesehatan Global, 3*(2), 206–215. https://doi.org/10.62383/ikg.v3i2.3076

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565

Mardhiyah, A., Azis, U., Sanusi, M., Wijaya, F., & Aman, A. (2026). Gambaran tingkat burnout pada tenaga kesehatan di ruang rawat inap rumah sakit: Literatur review. *PREPOTIF: Jurnal Kesehatan Masyarakat, 10*(1), 2184–2196. https://doi.org/10.31004/prepotif.v10i1.57747

Novena, O. D., Andarusito, N., & Marliana, T. (2025). Analisis faktor penyebab burnout pada tenaga kesehatan di Rumah Sakit Umum Kasih Ibu Denpasar. *Jurnal Manajemen dan Administrasi Rumah Sakit Indonesia (MARSI), 9*(4), 1050–1068. https://doi.org/10.52643/marsi.v9i4.7203

Novitaloka, O. S., Widiyawati, P., Lubis, R. A., & Rohendi, A. (2026). Analisis burnout dokter IGD terhadap kualitas pelayanan dan kepuasan pasien dalam perspektif service profit chain. *Sammajiva: Jurnal Penelitian Bisnis dan Manajemen, 4*(2), 94–107. https://doi.org/10.47861/sammajiva.v4i2.2275

Pratama, A. D., Fanny, N., & Triyanta. (2026). Pengaruh burnout terhadap kinerja perawat unit rawat inap di RSUD Bung Karno Kota Surakarta. *SAINTEKES: Jurnal Sains, Teknologi dan Kesehatan, 5*(3), 161–174. https://doi.org/10.55681/saintekes.v5i3.510

Quan, C. E., Bustos Sanabria, G. J., Culumber, J., Hammond, R. W., & Sanchez-Gonzalez, M. A. (2024). Impact of provider burnout on the quality of healthcare services: A brief review. *Journal of Preventive and Complementary Medicine, 3*(2), 103–109.

Saputri, H., Susanti, I. H., & Kurniawan, W. E. (2022). Pengaruh motivasi kerja dan burnout terhadap kinerja perawat di Rumah Sakit Umum Ananda Purwokerto. *SENTRI: Jurnal Riset Ilmiah, 1*(3), 607–612. https://doi.org/10.55681/sentri.v1i3.261

Shi, H., Liu, J., Yang, C., Shang, J., & Zeng, Y. (2026). Machine learning for predicting burnout among healthcare workers: A systematic review and meta-analysis. *Contemporary Nurse, 62*(3), 315–335. https://doi.org/10.1080/10376178.2025.2593294

Wang, X., Li, C., Chen, Y., Zheng, C., Zhang, F., Huang, Y., & Birch, S. (2022). Relationships between job satisfaction, organizational commitment, burnout and job performance of healthcare professionals in a district-level health care system of Shenzhen, China. *Frontiers in Psychology, 13*, Article 992258. https://doi.org/10.3389/fpsyg.2022.992258

Zubaidah, R., & Budiyanto, B. (2025). Burnout and retention in hospital healthcare: Systematic review. *International Conference of Business and Social Sciences, 5*(1), 1015–1028. https://doi.org/10.24034/icobuss.v5i1.742

Aina Christina Wong*, Eros Bimo Laksmana, Purwadhi, Yani Restiani Widjaja

Universitas Adhirajasa Reswara Sanjaya
Corresponding author: *E-mail: ayna.wong29@gmail.com

DOI: https://doi.org/10.56922/mhc.v5i8.4565